## **TAP-2000**

# Automated Phoropter

The automated phoropter TAP-2000 is the optimal product for establishing a personalised work routine for an all-around refraction. The phoropter supports the performance of the various measurement options by displaying useful tips. The TAP-2000 is also compatible with other TOMEY equipment including lensmeter, auto-refraction, chart panel and chart projector.

#### **Excellent features**

- + Ergonomic control panel
- + Custom work routine
- + Numerous tests
- + Compatible with various TOMEY equipment
- + Wide visual field
- Dual cross-cylinders for high efficiency





#### **Specifications**

MEASURMENT RANGE	
Spherical power	-29.00 to +26.75 D (0.12/ 0.25/ 1.00/ 2.00/ 3.00 D step)
Cylindrical power	0.00 to ±8.75 D (0.25/ 1.00/ 2.00/ 3.00 D step)
Cylindrical axis	0 to 180° (1°/ 5°/ 15° step)
Pupillary distance	48 to 80 mm (far) / 50 to 74 mm (near)
Prism	0 to 20Δ (0.1Δ/ 0.5Δ/ 2Δ step)

REFRACTOR HEAD	
Auxiliary lens	Occluder, Pinhole ( $\varphi$ 2 mm), Red-green filter, Linear polarising filter, Fixed cross-cylinder lens (±0.50 D), Red Maddox rod, Dissociation prism (3/6/10 $\Delta$ )
Cross-cylinder	±0.25 D, ±0.50 D
Retinoscopy	+1.5 D / +2.0 D
Visual field	40° (VD = 12 mm)
Level adjustment	±2.5°
PD adjustment	Monocular/binocular

NEAR VISION		
Working distance	35 to 70 cm (5 cm step)	
Near point chart illumination	LED light	

DIMENSIONS AND ELECTRICAL REQUIREMENTS  Phoropter head		
Weight	3.9 kg	
Phoropter arm holder	Ø 21 mm ±0.5 mm	
Control box		
Dimensions WDH	230 x 235 x 65 mm	
Weight	3.4 kg	
Display	10.4" colour TFT-LCD with touch panel	
Printer	Built-in thermal	
Power specifications		
Voltage	110 VAC to 220 VAC (±10%)	
Frequency	50/60 Hz	
Power consumption	220 VA to 270 VA	



#### TOMEY EUROPE TOMEY GMBH

### tomey.de

TOMEY GmbH is the European headquarter of TOMEY Corporation, 2-11-33 Noritakeshinmachi Nishi-Ku, Nagoya, 451-0051, Japan

2023/08 – subject to change without notice

Always read and follow the instructions for use.

Not all products, services or offers are approved or offered in every market. Please note that the current status of approval for the labelling, instructions and contents of the brochure may vary from one country to another.